



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/757,813	01/15/2004	Donald C. Roe	7294C	5408

27752 7590 01/09/2008
THE PROCTER & GAMBLE COMPANY
INTELLECTUAL PROPERTY DIVISION - WEST BLDG.
WINTON HILL BUSINESS CENTER - BOX 412
6250 CENTER HILL AVENUE
CINCINNATI, OH 45224

EXAMINER

REICHLE, KARIN M

ART UNIT	PAPER NUMBER
----------	--------------

3761

MAIL DATE	DELIVERY MODE
-----------	---------------

01/09/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/757,813

Applicant(s)

ROE ET AL.

Examiner

Karin M. Reichle

Art Unit

3761

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 31 October 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3, 5-7, 10, 11 and 15-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-7, 10, 11 and 15-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10-31-07 has been entered.

Oath/Declaration

2. The oath or declaration filed 10-31-07 has been placed in the application.

Claim Language Interpretation

3. The claim language is interpreted in light of the definitions set forth in the paragraph bridging pages 5-6. Any other claim terminology which has not been specifically defined will be interpreted in light of its broadest common definition, e.g. its dictionary definition. In claims 1 and 10, it is now claimed that the acceptance element is a separate element joined with the body surface of the core and the fecal storage member is not only separate from the absorbent core but also the acceptance member. Note page 21, line 18-page 22, line 3 of the instant specification, i.e. the terminology "joined" is interpreted as being direct or indirect. Also it is noted that the claim language only requires the acceptance element be a "separate" element from and "joined" to the absorbent core and the fecal storage element be "separate" from the acceptance element

and absorbent core (“separate” as defined by the dictionary is “to differentiate or discriminate between; distinguish”, “dissimilar; distinct”), i.e. the acceptance element does not have to be separate or a separate element from all other elements, e.g. the topsheet, see canceled claim 4. Therefore an acceptance element anywhere on the article which is joined directly or indirectly with the body surface of the core but is a separate/distinguishable/distinct element from the core and separate/distinguishable/distinct from the fecal storage member also will be deemed to meet the independent claims. However again note page 20, lines 18-22 of the instant specification and the claim does not require that the elements are limited to performing a single function, i.e. it is not claimed that the acceptance element is the only element having such function and/or it has no other functions and/or all elements having an acceptance function are required to be an element as claimed on lines 8-11 of claim 1 or lines 8-10 of claim 10. With regard to the claim terminology “fecal storage element”, Applicant’s 5-8-06 remarks refer to page 25, lines 8-10 of the instant application which sets forth that the storage element is a storage element which is “capable of storing viscous bodily wastes”. The remarks also refer to page 15, lines 25-27 of the application where a “viscous fluid bodily waste” is defined as “any waste discarded from the body having a viscosity greater than about 10cP and less than about 2×10^4 cP at a shear rate of one l/sec” in a controlled stress rheometry test. Lines 15-18 of the same page 15 set forth that runny feces or menses are “viscous fluid bodily waste”. Finally, lines 29-31 of the same page 15 point out the viscosities of water and peanut butter for reference. In light of such disclosures, a “fecal storage element” as claimed will be interpreted as an element which is capable of storing fecal waste having a viscosity greater than about 10cP and less than about 2×10^4 cP at a shear rate of one l/sec in a controlled stress rheometry test.

Claim Rejections - 35 USC § 103

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

5. Claims 1-3, 5-7, 10-11 and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson et al '208, and thereby Thompson '135, Kimberly-Clark EP '417, Moore et al '642 and Lash et al '022.

Claim 1: See Claim Language Interpretation section supra and Thompson '208 at the Figures, col. 5, lines 39-44, col. 7, line 57-col. 8, line 6, col. 14, line 41-col. 19, line 2 (and thereby Thompson '135 at especially the Figures and the entire disclosure of EP '471), col. 9, line 54-col. 14, line 38, col. 21, line 30-col. 21, line 2 (and thereby Moore '642 at col. 1, lines 46-62 and Lash et al '022 at col. 4, line 29-col. 6, line 35 and col. 14, lines 55-58 and 64 et seq), i.e. Thompson et al teaches a disposable absorbent article for wearing on or about a lower torso of a wearer for receiving bodily exudates which comprises a topsheet, e.g., 9, a backsheet, e.g., 12, joined with the topsheet, an absorbent core, e.g., at least a layer of 11, an acceptance element, e.g. at least a portion of the topsheet, i.e. a "separate" element "joined" with the body surface of the core, see Claim Language Interpretation section supra, which comprises at least one aperture having an area of between 0.2 sq. mm to 25 sq. mm (See Thompson '208 at col. 15, line 61-col. 16, line 12 and the paragraph bridging cols. 18-19, i.e. EP '417 teaches filaments of a certain diameter, a topsheet having a certain number of filaments per square inch to define openings of equal size therebetween, i.e. the area between the filaments per sq. inch calculated from such disclosed specifics includes apertures having an area as claimed), and a storage element, e.g., 10 or another layer of 11, between the acceptance element and the core and "separate" therefrom,

see Claim Language Interpretation section supra and also discussion of 3) infra. Claim 1 further requires 1) the storage element to have a compressive resistance of at least about 70%, 2) the apertures have an effective aperture size of between about 0.2 sq. mm to about 25 sq. mm and 3) the storage element being a "fecal storage element" and separate from the absorbent core. With regard to 1), while Thompson '208 teaches a layer 10 having resilience and a ratio of wet to dry caliper of at least 80%, and preventing flow interference while being form fitting and a layer 11 of curled, twisted, chemically stiffened and crosslinked fibers, such fibers having increased dry resilience, i.e. the ability to return toward an expanded original state upon release of a compressional force applied thereto, and retaining their configuration during use at the portions cited supra, Thompson et al does not teach such layers having a "compression resistance" of at least about 70%. It is however noted that at page 29, lines 8-23 of the instant specification that Applicants while expressing the desire for the storage element to resist compression when a force is applied to maintain a significant level of storage capacity and restore itself to substantially its original thickness when the force is removed, does not disclose the criticality of the specific resistance claimed, i.e. the criticality of 70% rather than, for example, 45%. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ a compressive resistance of at least about 70% on the Thompson et al device since it has been held that where the general conditions of a claim are disclosed in the prior art as in the instant case, i.e. see discussion supra, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Aller, 105 USPQ 233. With regard to 2), see page 25, lines 2-5, of the instant application, and thereby Roe '338. Furthermore, see again the portions of Thompson '208 and EP '417 cited supra, i.e. the topsheet of Thompson et al comprises or

obviously comprises (Note MPEP 2131.03 and 2144.05) at least one aperture having an area of between 0.2 sq. mm to 25 sq. mm, e.g. apertures of equal size of such area, for enhanced acceptance of fluid. Therefore, it is the Examiner's first position that there is sufficient factual evidence for one to conclude that the topsheet of Thompson '208 would necessarily and inevitably include the claimed "effective aperture size" when tested according to the test set forth in Roe '338. Alternatively, i.e. the Examiner's second position, Thompson '208 teaches a topsheet which receives or accepts fluid. It is however noted that while at page 23, lines 19-25 of the instant specification Applicants express the desire for the acceptance element to pass waste therethrough, the criticality of the specific effective aperture size claimed enabling the element to do so is not set forth, e.g. the criticality of 30 sq. mm rather than 25 sq mm, for example, has not been set forth. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ an effective aperture size as claimed on the Thompson et al device, if not already, since it has been held that where the general conditions of a claim are disclosed in the prior art as in the instant case, i.e. see discussion supra, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Aller, 105 USPQ 233. With respect to 3), see the Claim Language Interpretation section supra and, in addition to the portions of the prior art already cited, see also col. 1, line 11-13, col. 13, lines 43-45 and col. 31, lines 40-42 of '208 and col. 3, lines 28-29 of '022, i.e. "capable of absorbing...body waste fluids such as urine and feces", i.e. capable of absorbing/holding fluid feces. Therefore, it is the Examiner's first position that the prior art teaches a storage element 10 or a layer or sheet of 11 which is "separate" from 11 (as well as all portions of the topsheet) or the remainder of the sheets of 11 (as well as all portions of the topsheet and 10), respectively, and which element is

capable of storing fecal waste having a viscosity greater than about 10cP and less than about 2×10^4 cP at a shear rate of one l/sec in a controlled stress rheometry test, i.e. “viscous fluid bodily waste”, because ‘208 and ‘022 disclose articles and/or components thereof capable of absorbing/holding menses, i.e. a “relatively thick fluid” and/or fluid feces which as disclosed by the instant application are “viscous fluid bodily wastes”. Alternatively, i.e. the Examiner’s second position, since ‘208 and ‘022 disclose articles and/or components capable of absorbing/holding menses, i.e. a “relatively thick fluid”, or fluid feces, there is sufficient factual evidence for one to conclude that such would necessarily and inevitably include a viscosity greater than about 10cP and less than about 2×10^4 cP at a shear rate of one l/sec when tested similarly to the claimed element, i.e. in a controlled stress rheometry test. Finally, i.e. the Examiner’s third position, the prior art, at a minimum, discloses the desire that the article and/or components absorb/hold menses, i.e. a “relatively thick fluid” or fluid feces, i.e. relatively thick fluid bodily wastes, i.e. the same general conditions as those claimed. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ a storage element as claimed on the Thompson et al device, if not already, since it has been held that where the general conditions of a claim are disclosed in the prior art as in the instant case, i.e. see discussion supra, it is not inventive to discover the optimum or workable ranges, i.e. the claimed range of viscosity, by routine experimentation. In re Aller, 105 USPQ 233.

Claim 3: See portions of Thompson ‘208 and ‘135 cited with respect to claim 1 supra.

Claims 5-6: See portions of Thompson ‘208 and Lash et al ‘022 cited with respect to claim 1 supra, i.e. layer 11 includes layers having absorbent particles of a size, i.e. the shape of

the particles spherical, i.e. area is dII, and the first paragraph of col. 15 of '022, e.g. particle size greater than 1410 microns or 1.4 mm.

Claims 5 and 7: See portions of Thompson '208 cited with respect to claim 1 supra, and paragraph bridging pages 28-29 of the instant application, i.e. layer 10 includes nonabsorbent, fibers, i.e. particles, with wettable surfaces, i.e. liquid insensitive fibers, which fibers have dimensions.

Claims 2 and 10-11 and 15-17: Applicant claims the acceptance element having an effective open area of at least 30%. However, see page 25, lines 2-5, of the instant application, and thereby Roe '338. Furthermore, see again the portions of Thompson '208 and EP '417 cited supra, i.e. the topsheet of Thompson et al includes or obviously includes an open area of 30-60% for enhanced acceptance of fluid. Therefore, it is the Examiner's first position that there is sufficient factual evidence for one to conclude that the topsheet of Thompson '208 would necessarily and inevitably include the claimed "effective open area" when tested according to the test set forth in Roe '338. Alternatively, i.e. the Examiner's second position, Thompson '208 teaches a topsheet which receives or accepts fluid. It is however noted that while at page 23, lines 8-13 of the instant specification Applicants express the desire for the acceptance element to pass waste therethrough, the criticality of the specific effective open area claimed enabling the element to do so is not set forth, e.g. the criticality of 30% rather than 28% for example has not been set forth. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to employ an effective open area of at least about 30 % on the Thompson et al device, if not already, since it has been held that where the general conditions of a claim are disclosed in the prior art as in the instant case, i.e. see discussion supra, it is not

inventive to discover the optimum or workable ranges by routine experimentation. In re Aller, 105 USPQ 233.

Response to Arguments

6. Applicant's remarks with regard to the oath have been noted. With regard to the arguments with respect to the prior art, such arguments, which are substantially similar to those of 8-07, have been considered but are still deemed not persuasive for the reasons set forth supra, e.g. they are not commensurate in scope with the disclosure, the claim language, the prior art teachings and/or the prior art rejections. For example, the claims still do not require five distinct layers. See the claims, the Claim Language Interpretation section supra and the discussion of claim 1 supra. Note also page 20, lines 18-22 of the instant specification. For another example, the prior art rejection sets forth where Thomas teaches a storage element as claimed still contrary to the arguments set forth in the paragraph bridging pages 6-7 and the first full paragraph on page 7, see, e.g., the discussion of elements 10 and 11 and/or 3) with regard to claim 1 supra.

Conclusion


7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karin M. Reichle whose telephone number is (571) 272-4936. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tanya Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number:
10/757,813
Art Unit: 3761

Page 10

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Karin M. Reichle
Primary Examiner
Art Unit 3761

KMR
August 22, 2007